### EFLIGHT 2003 The Umbra on Ice from 35,000 ft.

Dr. Glenn Schneider, Ph. D.
Associate Astronomer & NICMOS Project Instrument Scientist
Steward Observatory, University of Arizona
Tucson, Arizona 85721 USA
http://nicmosis.as.arizona.edu:8000




QF 2901
23 Nov 2003 UT
Total Solar
Eclipse Flight
Antarctica

TOTAL SOLAR ECLIPSE - ANTARCTICA QANTAS FLIGHT 2901, 23 NOVEMBER 2003 22:44 UT



SBIG ST-2000XM CCD (1200x1600 pixel) IMAGER 300 mm EFL, X1 (Green) Filter, Five 40 ms Image Mosaic G. Schneider (U. of Arizona), J. Pasachoff (Williams College)



#### TSE2003 - PATH / VISIBILITY

### The Central Umbral Shadow

Touch down (near Kerguelen): 22:22.7 UT Landfall Only South of Longitude 66 deg S

Lift off (near Matri): 23:15.6 UT

Minimum Speed: 3900 km/hr


**Duration: 52.9 minutes** 

Path Length: 5000 km


Conic Width: 28-89 km

Area: 0.14% of the Earth's surface.

## TSE2003 - PATH / VISIBILITY



# TSE2003 - PATH / VISIBILITY



# 





### "Shared Use" Plan Enabled by Croydon Travel



Phil Asker

Gayle Brown

Captain John Dennis Senior Check Captain B747-400 QANTAS Airlines



You want to do WHAT with my airplane??

Captain John Dennis Senior Check Captain B747-400 QANTAS Airlines



You want to do WHAT with my airplane??

9/23/03

The QANTAS/CROYDON Total Solar Eclipse Flight

23 November 2003 UT

Mission Planning & Definition Overview

REQUIREMENTS for Assisted Real-Time Computation and Navigation

Dr. Glenn Schneider, Ph. D.
Associate Astronomer & NICMOS Project Instrument Scientist
Steward Observatory, The University of Arizona
Tucson, Arizona 85750 USA

Contact email: gschneider@as.arizona.edu, gschneider@mac.com URL: http://nicmosis.as.arizona.edu:8000

#### Abstract

No total solar eclipse has ever been observed from Antarctica both because of the infrequency of occurrence and the logistical complexities associated with Antarctic operations. This paradigm of clusivity regarding Antarctic eclipses in the historical second of science and exploration is about to be broken. The next total solar eclipse, which occurs on 23 November 2003 U.T., the first in the Antarctic since 12 November 1985, will be very largely unobserved due to the geographic remoteness of the path of totality. Yet, interest in securing phenomenological observations of, and associated with, the eclipse by members of the scientific research communities engaged in solar physics, astrodynamics, aeronomy and upper atmospheric physics, as well as educators and amateur astronomers has been extremely high. The development of a flight concept to enable airborne observations, with a dedicated aircraft chartesed from QANTAS Airlines, will permit the previously unobtainable to be accomplished. To do so successfully requires detailed preparatory planning for the execution of such a flight. The technical groundwork to achieving this goal has been pursued with diligence over the past four years and is predicated on a legacy and computational infrastructure capability founded on more than three decades of eclipse planning for ground, sea, and airborne venues. Here, given the geometrical circumstances of the eclipse, the uncertainties associated with weather, and the constraints of operations of the Boeing 747-400 aircraft, the requirements for the successful execution an intercept flight with the base of the Moon's shadow over the Antarctic are reviewed. The unequivocal need for real-time, in-situ re-computation of an executable flight plan in response to in-flight conditions is discussed. The mechanism for fulfilling that need, through the expert operation of EFLIGHT, a well-tested highly specialized software package of unique pedigree designed specifically for this purpose by the author of this report, working in concert with the flight crew on the flight deck is elaborated upon in the specific context of the requirements of this flight.

Captain John Dennis
Senior Check Captain
B747-400
QANTAS Airlines





#### Real-Time Navigation/Targeting Requirements

#### 1) Absolute Position Error Tolerance:

- a) Maximum Aircraft lateral (cross track) position error ±1 km at mid-eclipse, contact II, and contact III.
- b) Maximum Aircraft vertical position error ± 100 meters.
- 2) **Absolute Timing Error Tolerance:** ± 6s in time w.r.t. U.T. predictions\* at CII and CIII.


#### 3) Heading Constraint on Portside Orthogonality:

- a) Absolute:  $\pm 1.5^{\circ}$  from mid-eclipse  $\pm 5$  minutes.
- b) Differential:  $\pm 0.5^{\circ}$  from mid-eclipse  $\pm 5$  minutes.

#### 4) CDU/FMS Way Point Input Updates During Totality Run:

- a) Precluded ± 2 minutes of mid-eclipse, except mid-eclipse update.
- b) Avoided if possible within 5 minutes of mid-eclipse.
- c) Desired Granularity: 5 minute intervals at relative mid-eclipse times of -15, -10, -5, (0), +5 minutes.
- 5) Aircraft Altitude: Max possible altitude for min LOS air-mass to Sun.
  - \* Exclusive of delta-T correction based upon pre-eclipse IERS updates.


### Desire for Longest Duration



But Subject To...

#### A) ATMOSPHERICS: METEROROGICAL CONDITIONS


- Local obscuration by cloud (ground station & remote sensing): monolithic and multi-layer along the line-of-sight to the Sun.
- Wind speed and direction: vector gradients.
- Atmospheric turbidity along line-of-sight to the Sun.
- Flight-level turbulence: (platform stability).



*Play movie: wind\_pattern.mov* 

#### B) AIRCRAFT PERFORMCE & OPERATIONAL CONSIDERATIONS


• Maximum range for gross weight at eclipse intercept.



#### B) AIRCRAFT PERFORMCE & OPERATIONAL CONSIDERATIONS

- Maximum range for gross weight at eclipse intercept.
- Maximum service ceiling for gross weight at eclipse intercept.
- Nominal/Maximum Cruise Speed.
- Take-off or In-flight delay.


- C) ASTRO-DYNAMICS:
  - TIME/POSITION DEPENDENT FUNDEMENTAL GEOMETRY
  - Non-linear motions (absolute & relative) of Earth, Moon, and Sun.
  - Shadow Velocity and instantaneous acceleration profile.



#### C) ASTRO-DYNAMICS: TIME/POSITION DEPENDENT FUNDEMENTAL GEOMETRY


• Shadow axis (X,Y, Z) position loci as functions of altitude above

geoidal surface, differentially corrected through atmospheric refraction models based upon Temperature/Pressure scale-height profiles.



#### C) ASTRO-DYNAMICS: TIME/POSITION DEPENDENT FUNDEMENTAL GEOMETRY

- Shadow boundary loci as a functions topocentric lunar limb profile and atmospheric refraction corrections.
- Conic shadow projection on the elevated oblate geoidal surface.



## Baseline Intercept Plan


U.T. Mid-Eclipse Intercept: 22:44:00 Flight Altitude: 35000ft Heading: 198.80° Air Speed\*: 470.0nm/h \*Wind: 0.0 knots @ 0.0° CENTERLINE RUN START: 22:29:00 UT LATITUDE =  $-68^{\circ}$  07.1' S LONGITUDE =  $+94^{\circ}$  42.0' E MID-ECLIPSE INTERCEPT: 22:44:00 UT LATITUDE =  $-69^{\circ}$  58.7' S LONGITUDE =  $+93^{\circ}$  00.7' E

CENTERLINE RUN END: 22:49:00 UT

LATITUDE = -70° 35.7' S

LONGITUDE = +92° 24.9' E


# Totality Run: ENTRY @ 22:29 UT Lat = 68° 07.10'S, Lon = 94° 42.03'E



Altitude\* =  $14.6^{\circ}$ , Azimuth =  $108.5^{\circ}$ 

\*astronomical horizon


# Totality Run: MID-ECLIPSE @ 22:44 UT Lat = 69° 58.66'S, Lon = 93° 00.61'E



Altitude\* = 14.9°, Azimuth = 108.8°

\*astronomical horizon

# Totality Run: EXIT @ 22:49 UT Lat = 70° 35.73'S, Lon = 92° 24.86'E




Altitude\* = 15.0°, Azimuth = 108.9°


\*astronomical horizon

# Baseline Intercept Plan


```
SECOND CONTACT = 22:42:42.7 UT (START OF TOTALITY
AIRCRAFT LATITUDE = -069^{\circ} 49' 09.4''
AIRCRAFT LONGITUDE = +093° 09' 59.0''
Solar Altitude = +14.8° Solar Azimuth = 109.0°
   Position Angle of Contact = 109.3°
MID-ECLIPSE INTERCEPT = 22:44:00
AIRCRAFT LATITUDE = -69^{\circ} 58' 39.8"S
AIRCRAFT LONGITUDE = +93° 00' 36.5"E
TOTALITY DURATION = 2m 34.7s
Solar Altitude = +14.9^{\circ} Solar Azimuth = 108.8^{\circ}
THIRD CONTACT = 22:45:17.4 UT (END OF TOTALITY)
AIRCRAFT LATITUDE = -070^{\circ} 08' 17.2''
AIRCRAFT LONGITUDE = +092° 51' 06.8''
Solar Altitude = +15.0^{\circ} Solar Azimuth = 108.6^{\circ}
Position Angle of Contact = 289.7°
```



## Contacts ± 1 Minute: Horizon Orientation




Play movie: CONTACTS.mov



Eclipse Circumstance Calculator and Aircraft Navigation Aide

Specifically designed to address the problem optimally intercepting the moon's shadow from a moving aircraft.

Fully compliant with I/O and interface requirements of aircraft CU/FMS systems







Eclipse Circumstance Calculator and Aircraft Navigation Aide

Specifically designed to address the problem optimally intercepting the moon's shadow from a moving aircraft.

#### PEDIGREE:

- 03 October 1986 Eclipse Flight





Eclipse Circumstance Calculator and Aircraft Navigation Aide Specifically designed to address the problem optimally intercepting the moon's shadow from a moving aircraft.

#### PEDIGREE:

- 30 June 1992 DC-10 Eclipse Flight







Eclipse Circumstance Calculator and Aircraft Navigation Aide Specifically designed to address the problem optimally intercepting the moon's shadow from a moving aircraft.

#### PEDIGREE:


- 21 June 2001 Planned 1 Hour Totality With Ill-Fated AF Concorde





Eclipse Circumstance Calculator and Aircraft Navigation Aide Specifically designed to address the problem optimally intercepting the moon's shadow from a moving aircraft.


23 November 2003 - ANTARCTICA:
Planning and Real-Time Navigation Croydon/QANTAS QF 2901
Planning S&T/Lan Chile LC 8001



# EFLIGHT Parametric Inputs

OK

U. T. Mid-Eclipse = 224400
Intercept CL 0
Time Window = 5 3 Min.
True Air Speed = 470 /hr
Fly Aircraft Heading = 200 Deg.  Fly Perpendicular to Sun  Fly Parallel to Shadow
Altitude in feet AMSL = 35000
WIND from 0 Deg., Speed = 0
Autoscale + 2 Deg
Display Time Resolution:  Output Format:  Output Format:  DDD.xxxxx
Display Frame Delay = .1 s DDDMMSS.x DDDMM.xxx
Export Waypoint Table
RT SIMULATION CANCEL
Graphics Scale = 100 °/°



# EFLIGHT Tabular Output

#### Co-Moving "Local Circumstances" from Moving Aircraft

```
000
```

#### EFLIGHT03:TABULATE TOTALITY RUN

```
22:44:00 | TOTALITY DURATION = 2m 34.7s
U.T. Intercept:
Flight Altitude: 35000ft |
Heading:
                               22:42:43.1 +14.8 109.0 109.3 3RD 22:45:17.8 +15.0 108.6 289.7
Air Speed:
Wind Speed:
                 0.0nm/h | LATITUDE: -069. 49' 24.2''
Wind Direction:
                    0.0 · I LONGITUDE: +093 · 09 ' 44.5 ' '
HHMMSS UMbra Long UMbra Lat WidKM Uaz• Ual• AirCr Long AirCr Lat Mid^T Mid^D
                                                                               LOS Bearng ACaz ACal
       9422.514E 6239.618S
                            535.1 111.9 11.8 9423.086E 6829.493S -720s -94.0nm +0.3 197.52 108.5 14.7
223205 9423.657E 6243.010S
                            534.8 111.8 11.8 9422.551E 6830.1148 -715s -93.3nm +0.3 197.52 108.5 14.7
223210 9424.773E 6246.3958 534.6 111.8 11.8 9422.015E 6830.7368 -710s -92.7nm +0.3 197.53 108.5 14.7
223215 9425.863E 6249.7728 534.4 111.7 11.9 9421.479E 6831.3578 -705s -92.0nm +0.3 197.54 108.5 14.7
       9426.927E 6253.1438
                            534.2 111.7 11.9 9420.942E 6831.978S -700s -91.4nm +0.3 197.55 108.5 14.7
223225 9427.964E 6256.506S 533.9 111.7 12.0 9420.405E 6832.599S -695≤ -90.7nm +0.3 197.56 108.5 14.7
```

KB: Non-APL


#### Time Correlated Aircraft Track, Centerline, and Umbra Intercept Data


```
000
                                            Selected WAYPOINTS
≠ HHMMSS UMbra Long UMbra Lat WidKM Uaz° Ual° AirCr Long AirCr Lat MidAT MidAD
                                                                                  LOS Bearng ACaz ACal
A 223200
         9422.514E 6239.618S 535.1 111.9 11.8 9423.086E 6829.493S -720s -94.0nm
                                                                                  +0.3 197.52 108.5 14.7
B 223600
         9449.442E 6515.523S 523.8 110.1 13.3 9356.833E 6859.287S -480s -62.7nm
                                                                                  +0.2 197.92 108.6 14.8
C 224000
         9422.996E 6740.906S 512.7 109.0 14.3
                                               9329.370E 6929.011S -240s -31.3nm
                                                                                  +0.1 198.35 108.7 14.9
D 224400
         9300.609E 6958.660S 502.7 108.8 14.9 9300.609E 6958.663S
                                                                                  -0.0 198.88 108.8 14.9
                                                                     +0s +0.0nm
E 224800 9030.598E 7209.511S 494.5 109.6 15.2 9231.848E 7028.309S +240s +31.3nm
                                                                                 -0.1 197.54 108.9 15.0
```

FMS INPUT

"READ-BACK"

# EFLIGHT Dynamic Display






Forward View from the Navigator (Second "Observer") Seat



18 Dec 2002 Flight Deck Familiarization - Cpt J. Black

#### THE WINDOW








The Floor



Pilot Seat Forward



FOUR CAMERAS ON COMMON GYRO STABILIZED PLATFORM



KENYON KS-8 DUAL GYRO STABILIZER


AUTONOMOUS (Computer Controlled) IMAGE ACQUISITION UMBRAPHILE (Film), MaximDL (CCD), iMovie (Video)

#### FOUR CAMERAS ON COMMON GYRO STABILIZED PLATFORM

- 1) SBIG ST-2001 XM (HIGH QE) 1600 x 1200 PIXEL CCD IMAGER High Spatial Resolution Spectrally Isolated Coronal Imaging
- 2) NIKON F5/400mm f/4.5 Vibration Reduction 35mm Film Camera High dynamic Range and Deep (High Sensitivity) Coronal Imaging
- 3) PENTAX/700mm f/11 35mm Film Camera Contact and Solar Limb Transition Phenomenon
- 4) SONY DCR-TRV 900 3-CCD DIGITAL VIDEO CAMERA Platform Guide Camera and Time-Tagged 30 Hz Imaging




(without power/control/data cabling and counterweights)



(without power/control/data cabling and counterweights)




non-flight power/control/data cabling








First Integrated Systems Test


25 Mar 2003 Planning Meeting LAX/Catalina - Cpt J. Dennis



















#### **EFLIGHT TEST & VALIDATION**

21 Jul 2003 QANTAS Jet Base B747-400 Simulator - Sydney




#### EFLIGHT TEST & VALIDATION

21 Jul 2003 QANTAS Jet Base B747-400 Simulator - Sydney



#### Flight Deck Navigation & Image Acquisition S/W


EFLIGHT Waypoints & Info UMBRAPHILE Exposure Table EFLIGHT Nav Graphic



Event Timers Local Circumstances RT Eclipse Progression Graphic

#### Flight Deck Navigation & Image Acquisition S/W


EFLIGHT Waypoints & Info UMBRAPHILE Exposure Table EFLIGHT Nav Graphic



Event Timers Local Circumstances RT Eclipse Progression Graphic

DARK ADAPTION





WHERE/HOW TO MOUNT THE GYRO PLATFORM???

Jay Friedland's "Out of the Box" Suggestion...



#### Vacuum Pumped Suction Cups 8.5" diameter 70 lb. static load










WHERE/HOW TO MOUNT THE GYRO PLATFORM???

Could this work?





\*Ph.D. Student in Space Weather and Cosmic & Solar Radiation Events




Solar storms could place crew and frequent flyers at risk (Image: U.S. Senator Reed's Office)

WHERE/HOW TO MOUNT THE GYRO PLATFORM???

Could this work?











#### SECURITY - IN - CONFIDENCE

#### SECURITY DIRECTION

Security & Investigation Services

SD QF2901/03

#### SOLAR ECLIPSE FLIGHT - QF2901 - 24 NOVEMBER 2003

#### BACKGROUND

Qantas Airways Limited has received approval from the Australian Department of Transport and Regional Services (DOTARS) to load within the aircraft cabin specialised astronomical equipment, screwdrivers, pliers



Security & Investigation Services

#### SPECIAL HANDLING REQUEST

#### Screening Authority

The holder of this letter has requested and been given approval by Qantas Airways with the concurrence the Australian Department of Transport and Regional Services, for the screening authority to undertake a hand search of any specialised high speed film and any specialised astronomical equipment in the possession of the passenger.



#### SECURITY - IN - CONFIDENCE

#### SECURITY DIRECTION

Security & Investigation Services

SD QF2901/03

#### SOLAR ECLIPSE FLIGHT - QF2901 - 24 NOVEMBER 2003

#### BACKGROUND

Qantas Airways Limited has received approval from the Australian Department of Transport and Regional Services (DOTARS) to load within the aircraft cabin specialised astronomical equipment, screwdrivers, pliers




#### Pre-Flight Equipment Prep in the QANTAS Lounge




Gate 23

DEPARTURE FLIGHT

SCHED DRD



## On The Flight Deck - 15h of Isolation



#### On The Flight Deck

### Bungie Cords & Velcro





The camera platform was suspended from a bungie cord attached to a 70-lb static load capacity vacuum suction cup secured to the flight deck wall in a panel pass-through.

During the set-up of the equipment, a second suction cup was rigged as a safety against a possible loss of vacuum (and load bearing) of the primary suction cup.

#### On The Flight Deck







A sign hung right above the second observer's seat was a constant reminder to "check and re-pump" the suction cup vacuum pressure frequently.

The support point for the camera/gyro platform was immediately above the window behind the pilot's seat. Operations procedures document attached to seat back.

Gyro Inverters
Gyro Power

#### On The Flight Deck





110 VAC 400 Hz gyro power inverters and Ni-Cad battery packs attached with velcro to bottom of pilot's seat and flight deck floor next to seat rail system.



12 V DC-to-DC regulated power supply and Ni-Cad battery source for SBIG CCD camera velcroed to flight deck wall and floor next to observer's seat.

Umbraphile Box Nikon VR Box

#### On The Flight Deck





Camera operations laptops on seat; film and video guide camera with PowerBook, CCD camera with ThinkPad. UMBRAPHILE and NIKON VR interfaces velcroed on shelf.



Rotating swivel clip held bungie cord to suction cup permitting alignment.

Loosely coupled safety ropes straddle platform support but do not hinder floating support.

#### On The Flight Deck








Camera/gyro platform fully rigged and suspended from flight deck wall, in position at observer's window behind pilot's seat ready for final balance and alignment check.

Electrical (power and control) connections established to/from cameras/computers and gyros. Note green light on gyro power inverter #2.

# Power, Data & Control On The Flight Deck








Cabling was rigged vertically downward and supported from below from platform center of gravity to minimize unbalanced torques on the platform.

The camera platform was pre-balanced to tilt upward at an angle of 14.9°, the solar altitude at mid-totality, when suspended from it's support point at the COG.

EFLIGHT G4
CCD Windoze
Umbraphile G4

#### On The Flight Deck







A third laptop (floor) was used for real-time eclipse navigation, computing flight position updates based upon winds aloft. Note solar filter now on observer's window bottom.

First of several in situ flight plan updates are computed via EFLIGHT and relayed to flight crew for input into Boeing 747-400 Flight Management System computer.

On The Flight Deck Solar Filters







With ingress phase of eclipse well in progress Di Patterson (with eclipse viewing glasses in hand) assists Glenn Schneider in with final procedures review.

Cpt. John Dennis (with eclipse viewing glasses) and Cpt Brian Meade take a peek at the dwindling solar crescent as we align the aircraft for the Totality run.

Totality Run Loaded & Ready to Execute

#### On The Flight Deck








Penultimate set of target way points are ingested into and read back from the FMS.
"Glass cockpit" display on right shows first three of five totality run waypoints.

For the final time before totality, Glenn Schneider checks and re-pumps the vacuum pressure on the platform support suction cup in preparation for Totality.


## The Umbra Approaches





C. Roberts




































## The Umbral Shadow Apex



J. Pasachoff

#### The Umbra Moves On



C. Roberts

## The Shadow Passes Anti-Sun Side Imaging



1 frame per 10 seconds - J. Friedland

#### In the Main Cabin



Play movie: GILL\_IMSIDE.mov

1 frame per 30 seconds - M. Gill

# Flight Deck Eclipse Imaging Program IT WORKED, TOO!

#### Video Guide Camera




#### CCD Imager




SBIG ST-2000XM CCD (1200x1600 pixel) IMAGER 300 mm EFL, X1 (Green) Filter, Five 40 ms Image Mosaic G. Schneider (U. of Arizona), J. Pasachoff (Williams College)

#### 400mm Film Camera





#### SBIG ST-2000XM 1600x1200 CCD CAMERA



Individual 40ms "dithered" frames before combination


Image Registration and (pre-calibration) combination








Imaging Dynamic Range




Coronal Extent: S/N=3 pixel-1 @ 6 Solar Radii




Radial Coronal Surface Brightness - Azimuthal Median (1/4x resampled pixels)

#### TOTAL SOLAR ECLIPSE - ANTARCTICA QANTAS FLIGHT 2901, 23 NOVEMBER 2003 22:44 UT




SBIG ST-2000XM CCD (1200x1600 pixel) IMAGER 300 mm EFL, X1 (Green) Filter, Five 40 ms Image Mosaic G. Schneider (U. of Arizona), J. Pasachoff (Williams College)

#### TOTAL SOLAR ECLIPSE - ANTARCTICA QANTAS FLIGHT 2901, 23 NOVEMBER 2003 22:44 UT




SBIG ST-2000XM CCD (1200x1600 pixel) IMAGER 300 mm EFL, X1 (Green) Filter, Five 40 ms Image Mosaic G. Schneider (U. of Arizona), J. Pasachoff (Williams College)


NIKON F5 - 400mm f/5.6 Vibration Reduction Lens FUJI NPZ-800 Color Negative Film Pushed to ISO 3200




Individual "dithered" frames via UMBRAPHILE




Linear display. Composite of ten (intensity scaled median) and mosaiced digitized image frames.



Renormalized 50% intensity of measured median radial brightness profile subtracted from 50% of original image.



33% opaque "unsharp mask" of original image (2 pixel FWHM Gaussian kernel, 75% peak pixel normalization) layered on original



50% intensity of measured median radial brightness profile subtracted from previous image





Play movie: DENNIS\_POST\_VIDEO.mov

## QF 2901 UP-FROIT UIIBRAPHILES



## QF 2901 UMBRAPHILES ALL!



## QF 2901 UMBRAPHILES ALL!



#### And Now, A Word from Our Sponsor...



Joel Moskowitz http://www.mac.com/switch

Play movie: Umbraphile\_small.mov

The shaky hand of Jay Friedland



15s (900 frame) Video Segment



"Digital Magic" for Hand-Held Coronal Videography

Play movie: Friedland\_1s\_half.mov

The shaky hand of Jay Friedland



"Digital Magic" for Hand-Held Coronal Videography









But a few look like this...



## Automated "Good Frames" Identification & Extraction





Automated "Good Frames" Registration

Critical Filtered Selection & Median Combination



 $http://nicmosis.as.arizona.edu: 8000/ECLIPSE\_WEB/ECLIPSE\_03/DIGITAL\_MAGIC/DIGITAL\_MAGIC.html$ 

My Personal THANKS to... F/O. C. Alderton



F/O. P. Ward



Cpt. P. Elston



Cpt. J. Black



Cpt. I. Getley





T. Jones - Mgr. Security Policy, Planning & Compliance R. Sheely - Security & Investigation Services Division Cpt. C. Manning - Group GM Flight Ops & Chief Pilot J. Pasachoff Cpt. W. Kearns - GM Flight Ops & Deputy Chief Plot J. Moskowitz Cpt. R. McDonald - GM B747 Fleet S. Stone - QANTAS LAX Duty Manager Cpt I. Barnet - B747-400 Pilot QF 94 Cpt P. Hunter - B747-400 Pilot QF 64

G. Dixon - CEO QANTAS Airways Ltd.

All the Folks at **CROYDON** TRAVEL





- J. Friedland
- M. Gill
- S. Kolodny
- S. Souza
- J-L Dighaye